

EG-3500

CAMERA TRACKING CONFERENCE SYSTEM



EG-3500 Introduction:

EG-3500 series is designed for simple conference room. It is a highly stable conference system with easy operation.

Main Features:

- Up to 100 units can be connected to one system, maximum 12 chairman units. It can be expanded to 250 units with expanding device
- Meeting Mode: FIFO/ LIFO, Chairman Mode, All On
- Unit voice activation
- With camera tracking function, supports various camera agreements, agreement can be customized upon request
- Supports central controller
- Unit hot-plug connection available

Features of Microphone Unit:

- Hyper-cardioid directional condenser capsule
- 60cm voice pick-up distance
- Anti-interference from cellphone
- Detachable design
- With earphone output

EG-3500 CAMERA TRACKING CONFERENCE SYSTEM



EG-3500M Specification

Power Supply : AC110V-240V
 Max Current : 1A
 Frequency Response : 50Hz-20KHz
 SNR : >85dBA
 Distortion : <0.05%
 Dimension(L*W*H) : 483x323x90(mm)
 Weight : 5.5kg
 Color: Black
 Installation: 19" Rack Case



EG-3530C/D Specification

Power Supply : DC 24V
 Max Current : 60mA
 Sensitivity : -50dB/Pa
 Frequency : 100Hz-12KHz
 SNR : >75dBA
 Dimension : 167x105x48mm
 Length of Mic Tube: 420mm
 Weight : 1.15Kg
 Color : Silver/Black

Connection & Accessory:
 Earphone Jack: 3.5mm
 Communication: 9P Screw Lock Port
 Mic Tube Jack: 4P Screw Lock Jack
 Speaker: 1W/8Ω
 Cable: 9P T-cable (2.1m*1.5m)

Patent No : ZL 2012 3 0233465.3 / ZL 2011 3 0313947.3



EG-3520C/D Specification

Power Supply : DC 24V
 Max Current : 40mA
 Sensitivity : -46dB/Pa
 Frequency Response : 100Hz-12KHz
 SNR : >75dBA
 Distortion : <0.1%
 Dimension : 170x117x44mm
 Length of Mic Tube: 420mm
 Weight : 0.85Kg
 Color : Black

Connection & Accessory:
 Earphone Jack: 3.5mm
 Communication: 9P Screw Lock Port
 Mic Tube Jack: 4P Screw Lock Jack
 Cable: 9P T-cable (2.1m*1.5m)



EG-3501C/D Specification

Power Supply : DC 24V
 Max Current : 40mA
 Sensitivity : -46dB/Pa
 Frequency Response : 100Hz-12KHz
 SNR : >75dBA
 Distortion : <0.1%
 Dimension : 268x44x127mm
 Length of Mic Tube: 420mm
 Weight : 0.85Kg
 Color : Silver/Black
 Installation: Built-in Type

Connection & Accessory:
 Earphone Jack: 3.5mm
 Communication: 9P Screw Lock Port
 Mic Tube Jack: 4P Screw Lock Jack
 Cable: 9P T-cable (2.1m*1.5m)

Patent No : ZL 2012 3 0233465.3

EG-3500M Rear Panel



- [1]. Power Socket
- [2]. 6.3mm Earphone Jack
- [3]. 6.3mm Audio Input
- [4]. XLR Output
- [5]. Aux RCA Jacks
- [6]. RS485 & RS232 Camera Port
- [7]. Camera Switch Port
- [8]. RS-232 Port for Central Controller
- [9]. RS-232 Port for PC
- [10] Microphone Unit Port

EG-3500 System Connection

